

Timeless Elegance

canadia.ie

Wood never goes out of style

Cover image: 1213A Chicago Oak Grey Herringbone - Special Order



Our passion for floors started a long time ago and is influenced by our heritage of almost 100 years.

A carefully selected floor, be it in a modern house, new extension or indeed a house that is 100 years old, is something to behold. This is what Canadia is all about – creating timeless elegance.

Wood is truly the material of choice for creating plush spaces with a warm, natural feel. Our unique flooring collection includes many different species of wood in solid and engineered flooring and our laminate with the very latest colours and designs. Our collection also includes herringbone and chevron featuring in both wood and laminate.

We believe floors are a focal point in the home and wish to share with you how wood floors have been used to enhance interiors in the pages of this brochure and on our website, canadia.ie.

We have a vast and beautiful collection of wood, complemented by an exclusive range of matching accessories. Our collections are selected from the finest hardwoods and machined with precision, ensuring that world-class design, sustainability, style, innovation and quality are core to every Canadia floor.

Our expertise is what truly sets us apart. We invest significantly in training to ensure that our specialised team has extensive product knowledge for every client requirement, specification and scale. We have been around a long time and we stand by every floor - ensuring its beauty for years to come.

We invite you to visit our state-of-the-art Design Showroom to experience our wide range of flooring on display.

Alternatively, you can browse through our website to become familiar with our latest product ranges, guidelines and all things Canadia. Our floors can be bought through an extensive network of preferred retailers throughout Ireland.

Choosing a new floor is a big deal that you may only do once or twice in your lifetime.

So, it matters, and what you're looking for in your new floor matters too. We've tried to make this as easy and effortless as possible.

We've arranged our floors by material and colour in this brochure intermingled with thickness, length, finish, and pattern. More information is available on our website at Canadia.ie.

First up is one of the joys of being in the flooring industry, the evolution of the laminate floor from tangy orange thin planks to state-of-the-art sustainable and water-resistant products in a vast array of colours and patterns with texturised surfaces and herringbone to whet your appetite, all within a reasonable budget for your project.

Following that, is the undisputed aspirational floor, engineered flooring. Engineered floors add value to a home. With care and maintenance, an engineered floor can last a lifetime and truly is the foundation of the home. Responsibly procured and positive for the world we live in, engineered floors are more than just a pretty face.

With our selection you can be wowed by the different lengths, widths, installation options, finishes and character markings. Different style possibilities offer our customers something to fit each individual style.

And if that's not enough, for the purists, we also have solid wood floors or hardwood. For a timeless look that improves and develops with age, there's no getting away from solid wood flooring. It's the real thing - the fact that solid wood flooring is made from high quality wood from real trees offers a natural luxury that no other floor type can match.





Contents

Laminate Flooring 7

Laminates - White / Grey 8

Laminates - Browns 14

Laminates - Herringbone 24

Sustainability 28

Engineered Flooring 31

Engineered - Plank 32

Engineered - Herringbone and Chevron 40

Solid Flooring 45

Grades & Finishes 49

Accessories - Finishing Touches 50

Contact Us 54



EPL012 Dark Rillington Oak



Laminate Flooring

Laminate floors are extremely popular due to their relatively low cost, hard-wearing nature, easy installation and their wide range of colours.

They are constructed from large sheets of MDF or HDF (high-density fibreboard), with a decorative paper layer bonded on top. This layer is then toughened and protected by pressure bonding a clear lamination to the surface. Each complete sheet is cut down into smaller sized planks. The planks are then machined with a profile on all four sides to enable them to be clicked together without any requirement for glue.

This makes this type of flooring easy to install and a DIY product with helpful installation videos available at canadia.ie.

Our laminate flooring with Aqua technology provides a water-resistant flooring solution and an easy-to-clean, cost-effective alternative to tiles. This unique flooring is much more resistant to water swelling than a standard laminate and offers a limited lifetime guarantee (25 – 30 years) in residential applications.

The Aqua range is available in over 25 trend-led colours including a variety of wood grain, stone and ceramic décors. Application areas include bathrooms, kitchens and living rooms, as well as bars, restaurants and retail spaces.

Scan to view our laminate flooring collection

Laminate flooring with Aqua water-resistant technology. Suitable for bathrooms.

R10 Laminate flooring with R10 'slip resistant' classification. Enhanced texture for greater stability.

Laminates - White / Grey

Cool, clean, crisp.

Embracing the timeless allure of simplicity, our laminate wood floors become the cornerstone of contemporary interiors. Rooted in the rich heritage of Nordic aesthetics, these floors seamlessly blend tradition and innovation, bringing the essence of modern Scandinavia into your living space. The marriage of clean lines, minimalist beauty, and natural elements sets the stage for a harmonious environment where functionality meets artistry.



0013 Icelandic Oak Herringbone



Icelandic Oak Plank

0012

Thickness: 12mm
W: 196mm
L: 1216mm



Icelandic Oak Herringbone

0013

Thickness: 12mm
W: 90mm
L: 450mm



0013 Icelandic Oak Herringbone



EPL199 White Bayford Oak Long



White Bayford Oak Long

EPL199

Thickness: 10mm
W: 246mm
L: 2050mm

Light Levanto Marble

EPL005

Thickness: 8mm
W: 327mm
L: 1291mm

Aqua



Asgil Oak White Large

EPL153

Thickness: 8mm
W: 246mm
L: 1292mm



Cesena Oak White

EPL143A

Thickness: 8mm
W: 193mm
L: 1292mm



Lisbon Oak

3847

Thickness: 12mm
W: 192mm
L: 1285mm



Porto Oak

3545

Thickness: 12mm
W: 192mm
L: 1285mm



Hudson Oak

KT413

Thickness: 8mm
W: 197mm
L: 1205mm

Vintage Asgil Oak Large

EPL188A

Thickness: 8mm
W: 246mm
L: 1292mm

Aqua



Elton Oak White

EPL137

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



Cisco Oak

KT417

Thickness: 8mm
W: 197mm
L: 1205mm



White Chromix

EPL168A

Thickness: 8mm
W: 327mm
L: 1292mm

Aqua



White Waltham Oak Large

EPL123

Thickness: 8mm
W: 246mm
L: 1292mm



White Corton Oak

EPL051

Thickness: 7mm
W: 193mm
L: 1292mm



Murom Oak

EPL139

Thickness: 7mm / 8mm
W: 193mm
L: 1292mm



White Raydon Oak Long

EPL119

Thickness: 10mm
W: 245mm
L: 2050mm



Elbe Grey Oak

1066C

Thickness: 12mm
W: 193mm
L: 1292mm



Bergen Oak

6945

Thickness: 12mm
W: 192mm
L: 1285mm



Autumn Grey Oak

1832

Thickness: 12mm
W: 196mm
L: 1216mm



Erasmus Oak

FR014

Thickness: 8mm
W: 193mm
L: 1205mm



Bardolino Oak Grey

EPL036

Thickness: 7mm
W: 193mm
L: 1292mm



Bordeaux Oak Grey

1036

Thickness: 12mm
W: 193mm
L: 1292mm



Boulder Oak

5542

Thickness: 12mm
W: 192mm
L: 1285mm



Light Grey Soria Oak

EPL178A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



Dark Abergele Oak

EPL068A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



Light Grey Chicago Concrete

EPL166A

Thickness: 8mm
W: 327mm
L: 1292mm

Aqua



Kittila Oak Herringbone

3006

Thickness: 12mm
W: 90mm
L: 450mm



Larissa Oak Plank

8045

Thickness: 12mm
W: 167mm
L: 1216mm



Larissa Oak Herringbone

9045

Thickness: 12mm
W: 90mm
L: 450mm



Platinum Grey Oak Plank

8041

Thickness: 12mm
W: 196mm
L: 1216mm



Platinum Grey Oak Herringbone

9041

Thickness: 12mm
W: 90mm
L: 450mm



9041 Platinum Grey Oak Herringbone



Kartaca Oak

FXL013

Thickness: 12mm
W: 195mm
L: 1202mm



Grey Frosted Oak Gloss

9811

Thickness: 12mm
W: 167mm
L: 1216mm



Grey Sherman Oak Large

EPL185A

Thickness: 8mm
W: 246mm
L: 1292mm

Aqua



Mountain Grey Oak

1088C

Thickness: 12mm
W: 193mm
L: 1292mm



Benfica Oak

KT403

Thickness: 8mm
W: 197mm
L: 1205mm



Dapple Grey Oak

KT416

Thickness: 8mm
W: 197mm
L: 1205mm



Dibek Oak

KT806

Thickness: 10mm
W: 159mm
L: 1205mm



Rutherford Oak

K488

Thickness: 14mm
W: 192mm
L: 1285mm

Aqua



Grey Soria Oak

EPL180A

Thickness: 8mm
W: 193mm
L: 1292mm



Grey Bayford Oak Long

EPL118

Thickness: 10mm
W: 246mm
L: 2050mm



Murom Oak Grey

EPL138

Thickness: 7mm
W: 193mm
L: 1292mm



Grey Sparkle Grain

EPL167A

Thickness: 8mm
W: 327mm
L: 1292mm



Shanghai Oak

FXL029

Thickness: 12mm
W: 195mm
L: 1202mm



Palladium Grey Oak

8047

Thickness: 12mm
W: 167mm
L: 1216mm



Palladium Grey Oak Herringbone

9047

Thickness: 12mm
W: 90mm
L: 450mm



Prag Oak

FXL028

Thickness: 12mm
W: 195mm
L: 1202mm



Campus Oak

KT408

Thickness: 8mm
W: 197mm
L: 1205mm



Lundy Limed Oak Herringbone

9044

Thickness: 12mm
W: 90mm
L: 450mm



Charcoal Grey Oak

8030

Thickness: 12mm
W: 196mm
L: 1216mm



Grey Brynford Oak

EPL076

Thickness: 8mm
W: 193mm
L: 1292mm



Moor Acacia

EPL110

Thickness: 8mm
W: 193mm
L: 1292mm



Dark Santino Stone

EPL127A

Thickness: 8mm
W: 327mm
L: 1292mm


Laminates - Browns

Traditional, timeless, tasteful.

From the warmth of golden brown to the rustic charm of browny grey and the timeless allure of dark walnut, our traditional country-style oaks offer a spectrum of captivating tones that capture the essence of nature's beauty. These versatile hues, ranging from the sunlit radiance of amber to the earthy richness of deep mahogany, paint a vivid portrait of the countryside's ever-changing palette.



8055 Albi Honey Oak



Albi Honey Oak Herringbone

9055

Thickness: 12mm
W: 90mm
L: 450mm



Albi Honey Oak

8055

Thickness: 12mm
W: 167mm
L: 1216mm


9055 Albi Honey Oak Herringbone



8054 Tartas Oak



Tartas Oak

8054

Thickness: 12mm
W: 167mm
L: 1216mm



Tartas Oak Herringbone

9054

Thickness: 12mm
W: 90mm
L: 450mm



Wilderness Oak

K223

Thickness: 14mm
W: 192mm
L: 1285mm

Aqua



Rhodes Oak Herringbone

9046

Thickness: 12mm
W: 90mm
L: 450mm



Beige Melba Oak

EPL189

Thickness: 8mm
W: 193mm
L: 1292mm



Geneva Oak

6935

Thickness: 12mm
W: 192mm
L: 1285mm



Beige Galway Oak

EPL197

Thickness: 8mm
W: 246mm
L: 1292mm



Asti Oak

K452

Thickness: 12mm
W: 192mm
L: 1285mm



Amiens Oak Light

EPL102

Thickness: 8mm
W: 193mm
L: 1292mm



Bermuda Oak

6965

Thickness: 12mm
W: 192mm
L: 1285mm



Charleston Oak

7059

Thickness: 12mm
W: 192mm
L: 1285mm




Valley Oak Smoke

EPL015A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



Sofia Oak

3600

Thickness: 8mm
W: 192mm
L: 1285mm



Sand Beige Olchon Oak

EPL142A

Thickness: 8mm
W: 246mm
L: 1292mm

Aqua R10



Desperados Oak Long

K063

Thickness: 12mm
W: 242mm
L: 2000mm

Aqua



Bardolino Oak

EPL035

Thickness: 8mm
W: 193mm
L: 1292mm



Rialto Oak

FR012

Thickness: 8mm
W: 193mm
L: 1205mm



Light Rillington Oak

EPL011

Thickness: 8mm
W: 327mm
L: 1292mm



Light Sherman Oak

EPL183A

Thickness: 8mm
W: 246mm
L: 1292mm

Aqua



Tokyo Oak

FXL005

Thickness: 12mm
W: 195mm
L: 1202mm



Milan Oak

2078

Thickness: 12mm
W: 192mm
L: 1285mm



Light Bayford Oak Long

EPL200

Thickness: 10mm
W: 246mm
L: 2050mm



Granada Oak

6040

Thickness: 12mm
W: 192mm
L: 1285mm



Light Brushed Oak

8634

Thickness: 12mm
W: 192mm
L: 1285mm



Light Brown Sherman Oak

EPL204

Thickness: 8mm
W: 193mm
L: 1292mm



Light Dunnington Oak

EPL074A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



New Hampshire Oak

7838

Thickness: 12mm
W: 192mm
L: 1285mm



Barnyard Oak Commercial

6986

Thickness: 12mm
W: 192mm
L: 1285mm



New Barnyard Oak

6984

Thickness: 12mm
W: 192mm
L: 1285mm



Natural Valley Oak

EPL159A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



EPL159A Natural Valley Oak



Quebec Vintage Oak

1044C

Thickness: 12mm
W: 193mm
L: 1292mm



Mira Oak

8377

Thickness: 8mm
W: 192mm
L: 1285mm



Natural Grayson Oak

EPL096

Thickness: 8mm
W: 193mm
L: 1292mm



North Oak Natural

EPL208A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



Watermill Oak

1011

Thickness: 12mm
W: 193mm
L: 1292mm



Turin Oak

2600

Thickness: 12mm
W: 192mm
L: 1285mm



Stade Oak

8052

Thickness: 12mm
W: 167mm
L: 1216mm



Stade Oak Herringbone

9052

Thickness: 12mm
W: 90mm
L: 450mm



Privas Oak Herringbone

9053

Thickness: 12mm
W: 90mm
L: 450mm



Privas Oak

8053

Thickness: 12mm
W: 167mm
L: 1216mm





Dark Rillington Oak

EPL012

Thickness: 8mm
W: 327mm
L: 1292mm



Grove Oak

EPL089

Thickness: 7mm
W: 193mm
L: 1292mm



Farmhouse Oak

FXL907

Thickness: 12mm
W: 195mm
L: 1202mm



Farmhouse Oak

KT415

Thickness: 8mm
W: 197mm
L: 1205mm



Natural Bayford Oak Long

EPL116

Thickness: 10mm
W: 246mm
L: 2050mm



Alkum Oak

KT803

Thickness: 10mm
W: 159mm
L: 1205mm



Peking Oak

FXL012

Thickness: 12mm
W: 195mm
L: 1202mm



Olchon Oak Honey

EPL144A

Thickness: 8mm
W: 246mm
L: 1292mm

Aqua

R10



8052 Stade Oak



Olchon Oak Honey

EPL144

Thickness: 8mm
W: 193mm
L: 1292mm



Cognac Brown Sherman Oak

EPL184A

Thickness: 8mm
W: 246mm
L: 1292mm



EPL184A Cognac Brown Sherman Oak



Firebrand Oak

K450

Thickness: 12mm
W: 192mm
L: 1285mm



Golden Vista Oak

K230

Thickness: 14mm
W: 192mm
L: 1285mm



Rustic Oak

5402

Thickness: 12mm
W: 167mm
L: 1216mm



Rustic Oak Gloss

5602

Thickness: 12mm
W: 167mm
L: 1216mm



Dawn Oak

2410

Thickness: 12mm
W: 167mm
L: 1216mm



Brown Melba Oak

EPL191

Thickness: 8mm
W: 193mm
L: 1292mm



Mansonia Walnut

EPL109

Thickness: 7mm
W: 193mm
L: 1292mm



Olchon Oak Dark

EPL147

Thickness: 8mm
W: 193mm
L: 1292mm

R10



Appalachian Hickory

8155

Thickness: 10mm
W: 192mm
L: 1285mm



Shire Oak

8633

Thickness: 12mm
W: 192mm
L: 1285mm



Red River Hickory

8156

Thickness: 10mm
W: 192mm
L: 1285mm



Black Walnut Gloss

3652

Thickness: 12mm
W: 167mm
L: 1216mm



Italian Walnut

2152

Thickness: 12mm
W: 167mm
L: 1216mm



Vintage Walnut

1360

Thickness: 12mm
W: 196mm
L: 1216mm



Summer Oak

KT414

Thickness: 8mm
W: 197mm
L: 1205mm



Normandy Oak

FR013

Thickness: 8mm
W: 193mm
L: 1205mm



Nairobi Oak

FXL015

Thickness: 12mm
W: 195mm
L: 1202mm



Dark Walnut

8387

Thickness: 12mm
W: 192mm
L: 1285mm



Bosphorous Oak

FR008

Thickness: 8mm
W: 193mm
L: 1205mm



Parquet Oak Dark

EPL019

Thickness: 8mm
W: 193mm
L: 1292mm



Wild West Oak

K224

Thickness: 14mm
W: 192mm
L: 1285mm



Dundee Walnut

1072C

Thickness: 12mm
W: 193mm
L: 1292mm



Bourbon Hills Oak

K489

Thickness: 14mm
W: 192mm
L: 1285mm



Harbour Oak

FR015

Thickness: 8mm
W: 193mm
L: 1205mm



Habana Oak

4274

Thickness: 12mm
W: 192mm
L: 1285mm



Dark Langley Walnut

EPL067A

Thickness: 8mm
W: 193mm
L: 1292mm

Aqua



EPL067A Dark Langley Walnut



Tobacco Bayford Oak Long

EPL117

Thickness: 10mm
W: 246mm
L: 2050mm



Smoked Mill Oak

1022

Thickness: 12mm
W: 193mm
L: 1292mm



Lasken Oak

EPL136

Thickness: 8mm
W: 193mm
L: 1292mm



Louisiana Walnut

2813

Thickness: 12mm
W: 167mm
L: 1216mm



Smoked Cathedral Oak Herringbone

9051

Thickness: 12mm
W: 90mm
L: 450mm



Smoked Cathedral Oak

8051

Thickness: 12mm
W: 167mm
L: 1216mm

Laminates - Herringbone

Elegant, eye-catching, economical.

A herringbone laminate floor will add depth and interest to your home. Combine the beauty of herringbone flooring with the practicality of a laminate floor for an easy to maintain option which is cost effective too. Laminate flooring makes it possible to create a beautiful and durable herringbone floor for a fraction of the cost of solid wood.



3006 Kittila Oak Herringbone



Icelandic Oak Herringbone

0013

Thickness: 12mm
W: 90mm
L: 450mm



Kittila Oak Herringbone

3006

Thickness: 12mm
W: 90mm
L: 450mm



Palladium Grey Oak Herringbone

9047

Thickness: 12mm
W: 90mm
L: 450mm



Lundy Limed Oak Herringbone

9044

Thickness: 12mm
W: 90mm
L: 450mm



Platinum Grey Oak Herringbone

9041

Thickness: 12mm
W: 90mm
L: 450mm



Larissa Oak Herringbone

9045

Thickness: 12mm
W: 90mm
L: 450mm



Rhodes Oak Herringbone

9046

Thickness: 12mm
W: 90mm
L: 450mm



Tartas Oak Herringbone

9054

Thickness: 12mm
W: 90mm
L: 450mm



Privas Oak Herringbone

9053

Thickness: 12mm
W: 90mm
L: 450mm




Stade Oak Herringbone

9052

Thickness: 12mm
W: 90mm
L: 450mm



9053 Privas Oak Herringbone



Albi Oak Honey Herringbone

9055

Thickness: 12mm
W: 90mm
L: 450mm



Smoked Cathedral Oak Herringbone

9051

Thickness: 12mm
W: 90mm
L: 450mm



9051 Smoked Cathedral Oak Herringbone



9052 Stade Oak Herringbone



9054 Tartas Oak Herringbone



9045 Larissa Oak Herringbone

Sustainability

We are committed to working together with our supply chain for meaningful change.

You can be assured that Canadia shares the vision of implementing sustainable forest management practices around the world. Our name originates from Canada, home to 10% of the world's forests, and Canada takes sustainability seriously. In more recent times, we have reduced our carbon footprint by sourcing similar products from European producers.

Our strapline 'Nature's Floor' sums up the essence of our brand – we recognise the growing demand for environmental solutions both from our clients and our deep-rooted commitment to our employees and our collective social responsibility. Our symbol of the end grain, the grain of wood seen when it is cut across the growth rings, symbolises the genuine natural beauty of our products.

We are proudly certified to the FSC® and PEFC chain of custody standards signifying our dedication to meeting highest standards in Good Forest management.

The Forest Stewardship Council® (FSC®) is a global, not-for-profit organisation dedicated to the promotion of responsible forest management worldwide. FSC defines standards based on agreed principles for responsible forest stewardship that are supported by environmental, social, and economic stakeholders. To learn more, visit www.fsc.org.

The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organisation dedicated to promoting Sustainable Forest Management through independent third-party certification. See www.pefc.org for more information.



Wood-based materials are climate friendly.

Every product leaves traces on the climate. Our raw material, wood, absorbs CO2 during its growth and stores it. CO2 is emitted during processing. Our products have a very small carbon footprint because more CO2 is bound in the product than is emitted during processing.

We conserve natural resources.

To conserve natural resources, we must reuse, recycle and recover existing products in the best possible way. Through recycled materials, and by-products from the sawmill industry we contribute to the circular economy. The remaining product components come from fresh resources, such as thinning wood, glue and paper.

We focus on short distance transportation.

Purchasing in the region and the shortest possible transport distance strengthen the regional economy and reduce the volume of traffic.



1131 French Oak Super Rustic Smoked



Engineered Flooring

When we refer to engineered wood flooring, it is a reference to the various types of ways wood flooring is constructed and combined with a stable base such as plywood or HDF (high-density fibreboard), making engineered floors truly practical and authentic in both appearance and feel.

This innovative construction provides extra strength to restrict the movement of the wood, making engineered wood flooring even more versatile.

They come in all sorts of widths and lengths just like solids, but it is worth paying attention to the top layer of an engineered floor as thicker top layers mean that the floor can be sanded more and will last longer too.

Scan to view our engineered flooring collection


Engineered - Plank

Traditional plank, crafted with care.

If an engineered floor is the ultimate aspirational floor, then the classic example of this is in the timeless plank design that simply dances in the daylight or sets the mood of the room in the evening light.

With options from contemporary whites and greys to traditional browns, engineered floors in plank are effortlessly elegant and an investment for a lifetime. Canadia presents a stunning and hand-selected choice of engineered floors with unique character in the Raftwood Collection.





Raftwood Amazon
1216
Thickness: 15mm
W: 220mm
L: Random



Raftwood Madeira
1198
Thickness: 15mm
W: 220mm
L: Random



1216 Raftwood Amazon



1419 Mountain Shale Oak



Mountain Shale Oak

1419

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Glade Oak

1418

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Chalk Oak

1437

Thickness: 14mm
W: 190mm
L: 1900mm



Alpine Oak

1653

Thickness: 18mm
W: 240mm
L: 2200mm



Mountain Peak Oak

1439

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Vale Oak

1438

Thickness: 14mm
W: 190mm
L: 1900mm



Chicago Grey Oak

1220A

Thickness: 16mm
W: 220mm
L: Random



Mountain River Oak

1431

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Mist Oak

1432

Thickness: 14mm
W: 190mm
L: 1900mm



Burren Oak

1654

Thickness: 18mm
W: 240mm
L: 2200mm



Odessa Oiled Oak

1603A

Thickness: 15mm
W: 180mm
L: Random



Mountain Ridge Oak

1430

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Shade Oak

1434

Thickness: 14mm
W: 190mm
L: 1900mm



Misty Grey Oak

1303

Thickness: 14mm
W: 125mm
L: Random



Dapple Grey Oak

1301

Thickness: 14mm
W: 125mm
L: Random



Mountain Dusk Oak

1433

Thickness: 14mm
W: 190mm
L: 1900mm



Mountain Trail Oak

1435

Thickness: 14mm
W: 190mm
L: 1900mm



Cinnamon Oak

1655

Thickness: 18mm
W: 240mm
L: 2200mm



Mountain Rustic Oak Smoked

1415


Thickness: 14mm
W: 190mm
L: 1900mm



Smoked White Oak

1275

Thickness: 16mm
W: 125mm
L: Random



Mountain Rustic Oak

1414

Thickness: 14mm
W: 190mm
L: 1900mm



Austin Oiled Oak

1601A

Thickness: 15mm
W: 180mm
L: Random



Copper Oak

1304

Thickness: 14mm
W: 125mm
L: Random



Newcomb Oiled Oak

1602A


Thickness: 15mm
W: 180mm
L: Random



American Black Walnut

1116

Thickness: 15mm
W: 125mm
L: Random



Driftwood Ontario

1227

Thickness: 15mm
W: 220mm
L: Random



French Oak Super Rustic Smoked

1131

Thickness: 20mm
W: 190mm
L: 1830mm



Nut Brown Oak

1305

Thickness: 14mm
W: 125mm
L: Random



Denver Oiled Oak

1607A

Thickness: 15mm
W: 180mm
L: Random



Virginia Oak Smoked

1239A

Thickness: 15mm
W: 220mm
L: Random



Mountain Rustic Oak Deep Smoked

1440

Thickness: 14mm
W: 190mm
L: 1900mm



Bronze Oak

1302

Thickness: 14mm
W: 125mm
L: Random



French Oak Smoked

1117

Thickness: 20mm
W: 189mm
L: 1830mm



American Black Walnut

1394


Thickness: 20mm
W: 190mm
L: Random



Rusty Oak

1306

Thickness: 14mm
W: 125mm
L: Random



Walnut Acacia Natural

1207

Thickness: 14mm
W: 120mm
L: Random




1440 Mountain Rustic Oak Deep Smoked



American Black Walnut

1273

Thickness: 15mm
W: 150mm
L: 1830mm



Raftwood Mississippi Grey

1229

Thickness: 15mm
W: 220mm
L: Random



Mountain View Oak

1436

Thickness: 14mm
W: 190mm
L: 1900mm



Maple

1307


Thickness: 14mm
W: 125mm
L: Random



Desert Oak

1652


Thickness: 18mm
W: 240mm
L: 2200mm



Mountain Rustic Oak

1413

Thickness: 14mm
W: 190mm
L: 1900mm



Raftwood Hudson

1226

Thickness: 15mm
W: 220mm
L: Random



Prime White Oak

1130A

Thickness: 20mm
W: 190mm
L: 1900mm





White Oak Matt UV

1289

Thickness: 16mm
W: 150mm
L: Random



French Oak

1110A


Thickness: 20mm
W: 190mm
L: 1900mm



White Oak UV

1107

Thickness: 16mm
W: 150mm
L: 1830mm



White Oak Brushed UV Matt

1296

Thickness: 14mm
W: 125mm
L: Random



Kentucky Oak

1236A


Thickness: 15mm
W: 220mm
L: Random



Richmond Oak

1608A

Thickness: 15mm
W: 180mm
L: Random



White Oak Brushed UV Matt

1276

Thickness: 16mm
W: 150mm
L: Random



White Oak Matt UV

1298

Thickness: 16mm
W: 125mm
L: Random



White Oak

1097

Thickness: 16mm
W: 150mm
L: Random



White Oak Matt UV

1295

Thickness: 14mm
W: 125mm
L: Random



French Oak Super Rustic

1132

Thickness: 20mm
W: 190mm
L: 1830mm



Castle Oak

1651

Thickness: 18mm
W: 240mm
L: 2200mm



1435 Mountain Trail Oak



1434 Mountain Shade Oak

Engineered - Herringbone and Chevron

The epitome of timeless elegance.

Chevron's distinctive arrows add character and texture to any room wanting to make a statement. This is a touch of luxury with distinctive design. Chevron and classic herringbone engineered floors with their hard-wearing finishes are both eye-catching and sophisticated.

Our collection includes the marriage of chevron, herringbone and plank combinations to bring a superior finish to every room in your home whilst keeping consistency of colour. This is what we mean when we say our floors have 'timeless elegance'.



1464 Mountain Chalk Oak Herringbone



Mountain Chalk Oak Chevron

1474

Thickness: 14mm
W: 90mm
L: 500mm



Mountain Chalk Oak Herringbone

1464

Thickness: 14mm
W: 90mm
L: 450mm



Mountain Shale Oak Herringbone

1462

Thickness: 14mm
W: 90mm
L: 450mm



Mountain Shale Oak Chevron

1472

Thickness: 14mm
W: 90mm
L: 500mm



Mountain Mist Oak Herringbone

1466


Thickness: 14mm
W: 90mm
L: 450mm



Mountain Mist Oak Chevron

1476

Thickness: 14mm
W: 90mm
L: 500mm



Mountain Trail Oak Herringbone

1469

Thickness: 14mm
W: 90mm
L: 450mm



Mountain Ridge Oak Herringbone

1461

Thickness: 14mm
W: 90mm
L: 450mm



Mountain Rustic Oak Herringbone

1460

Thickness: 14mm
W: 90mm
L: 450mm



Mountain Rustic Oak Chevron

1470

Thickness: 14mm
W: 90mm
L: 500mm




1470 Mountain Rustic Oak Chevron



Walnut Acacia Herringbone

1308

Thickness: 14mm
W: 90mm
L: 450mm



American Walnut Herringbone

1309


Thickness: 14mm
W: 90mm
L: 450mm



Mountain Deep Smoked Herringbone

1468

Thickness: 14mm
W: 90mm
L: 450mm



1476 Mountain Mist Oak Chevron



1468 Mountain Deep Smoked Herringbone



1461 Mountain Ridge Oak Herringbone



1472 Mountain Shale Oak Chevron



1469 Mountain Trail Oak Herringbone



9012 White Oak Tumbled Herringbone Double Smoked



Solid Flooring

There are many types of wood floors but solid wood flooring, also known as hardwood is, of course, the original timber floor. A solid wood floor is just as the name suggests. One piece of solid wood from top to bottom. Often finished with oil or lacquer and with tongue and groove edges.

The manufacturing process is simple. Raw material logs and trunks of the chosen timber are cut down at sawmills worldwide into various lengths, widths and thicknesses.

These raw timbers are then transferred to flooring factories where they are graded and further refined by cutting to specified sizes. They are then sanded and often machined with tongue and grooved ends or bevelled edges.

The cut timbers are then kiln dried to bring them to a specific moisture level suited to the destination country. This creates an unfinished solid wood floor suitable for the consumer. Often the floor is prefinished with a lacquer or oil before packing into boxes.

Scan to view our solid flooring collection



White Oak RL

2011

Thickness: 18mm
W: 125mm
L: Random



White Oak RL UV

2001

Thickness: 18mm
W: 90mm
L: Random



White Oak Brushed RL

2012

Thickness: 18mm
W: 125mm
L: Random



Oak Unfinished Herringbone

9100

Thickness: 18mm
W: 90mm
L: 450mm



White Oak Tumbled Herringbone

9013

Thickness: 10mm
W: 60mm
L: 360mm



White Oak ABC Herringbone UV Lacquered

9101


Thickness: 18mm
W: 90mm
L: 450mm



White Oak Tumbled Herringbone Double Smoked

9012

Thickness: 10mm
W: 60mm
L: 300mm



9012 White Oak Tumbled Herringbone Double Smoked



9013 White Oak Tumbled Herringbone


1653 Alpine Oak

Grades & Finishes

Grades

Prime: A very uniform grain pattern and appearance. They are consistent in colour, with only small variations. Prime grade floors have few, if any, knots which will be filled if necessary. These knots will be small in size.

Architectural/Natural: A more varied natural look, in comparison to Prime Grade. They are less uniform which means that a small amount of colour variation is allowed. Several live knots are allowed. These knots are small to medium in size and filled.

Character/Rustic: Typically with a medium colour variation. An unlimited number of knots are allowed. These knots will be live and dead, large and filled. Small cracks are also permitted, and these will be filled.

Super Rustic: With a very distinctive old, time-distressed and then-repaired appearance. They have the widest range of colour variation out of the four grades. Live and dead knots and cracks are allowed and these are unrestricted in size. Small unfilled cracks are also allowed.

Finishes

Hardwax Oiled: Keeps a very natural finished wood surface without obscuring the touch and visibility of the grain.

High Gloss: Gives the floor a luxurious look with a glass-like finish.

Natural Oiled: Made from vegetable oils. One of the major benefits of using an oil finish is penetration. Instead of coating the top of the plank, oil soaks into the wood.

Unfinished: It has not gone through the finishing process of having a stain or protective layer of oil or lacquer.

UV Matt Lacquered: The lacquer will have been exposed to high capacity UV lights. This gives the wood added protection and a matt finish. This finish helps to mask blemishes caused by wear and tear and will help protect the wood from sunlight.

UV Satin Lacquered: The lacquer will have been exposed to high capacity UV lights. This gives the wood added protection and a slightly silky finish. This finish helps to mask blemishes caused by wear and tear and will help protect the wood from sunlight.

Accessories - Finishing Touches


Finishing touches are what turns a great looking floor into a centrepiece.

Whatever the colour, our range of Flooring Accessories, are designed to work alongside your new floor, including a comprehensive range of matching and contrasting profiles, rosettes, scotia and skirting.

When it comes to your new floor, there's more to consider than just the surface material. The right flooring accessories can significantly enhance the functionality, aesthetics, and longevity of your floors.

From adhesives and floor finishes to profiles, protection, and underlays, these accessories play a crucial role in creating a seamless and durable flooring experience.

Scan to view our range of accessories









Rosettes, Scotia, Skirting and Architrave

We have a collection of over 40 colour matching trims. These accessories contribute to the finishing touches of your flooring project.

Rosettes are decorative pieces used to cover the gaps around radiator pipes that pass through the floor. Castor cups and felt pads are used under furniture legs to protect your wooden floors and make furniture easier to move.

Scotia is a decorative moulding used to conceal expansion gaps along the edges of the floor. Skirting and architrave provide a stylish transition between the floor and the wall, adding a polished look to your space.

These details add character and elegance to your flooring design.





Underlay

Underlay plays a crucial role in enhancing the comfort, insulation, and acoustic performance of your floor. It is placed between the subfloor and the flooring material to provide cushioning, sound reduction, and thermal insulation when floating a floor.

Underlays are available in different materials, thicknesses, and densities, allowing you to choose the ideal option for your specific flooring needs.



Oils

Clean, rejuvenate, restore and maintain new and old wooden floors.

Perfect for softwood and hardwood, engineered and solid wooden flooring, these flooring oils along with floor cleaners provide everything needed to keep wood floors in top condition and looking great.













Adhesives

Adhesives are a vital component when installing engineered and solid flooring. They provide a secure bond between the flooring material and the subfloor, ensuring stability and durability.

We stock market-leading Wakol adhesives and damp proof membranes. Choosing the right adhesive for the job is crucial to ensure a successful and long-lasting installation.

Contact Us

Our complete collection of over 250 floors is available to view online including the option to order floor samples to provide you with a colour guide of your flooring choice.

Our state-of-the-art Design Showroom is based beside our Head Office in Tallaght, Dublin and is open from 8.30am to 5pm weekdays and from 9am to 1pm on Saturdays.


When you visit our Design Showroom you will meet with our experienced specialist team who will assist you to choose your ideal floor. Our full collection is on view in this custom-designed facility.

Canadia floors are sold through a network of over 500 retailers across Ireland.

Phone: 01 461 0997

Email: info@canadia.ie

Address: Unit 32 - 33 Second Avenue, Cookstown Industrial Estate, Tallaght, Dublin D24 XW92, Ireland.



Note: Images should be used for illustrative purposes only as colours may differ on print.

Canadia
NATURE'S FLOOR

Unit 32 - 33 Second Avenue,
Cookstown Industrial Estate,
Tallaght, Dublin,
D24 XW92, Ireland.

Tel: 01 461 0997

canadia.ie